

*"Built Stronger
Last Longer"*

DIAMOND[®]
K2



PRODUCT CATALOGUE

- Professional Manufacturer for Diamond Tools
- Power Tools Accessories



GUARANTEED!

Segmented



TURBO



Professional Ceramic / Porcelain Blades

Diameter	Segment Thickness	Segment Height	Purpose	Purpose	Purpose
4"/105mm	1.8mm	7mm/10mm	Ceramic Porcelain Marble Tiles	For dry cutting Marble Concrete Brick Block	For dry cutting Granite Concrete Bricks Blocks
4.5"/115mm	1.8mm	7mm/10mm			
5"/125mm	1.8mm/2.0mm	7mm/10mm			
6"/150mm	1.8mm/2.0mm	7mm/10mm			
7"/180mm	1.8mm/2.0mm	7mm/10mm			
8"/200mm	1.8mm/2.0mm	7mm/10mm			
9"/230mm	1.8mm/2.0mm/2.2mm	7mm/10mm			
10"/250mm	1.8mm/2.0mm/2.2mm	7mm/10mm			
12"/300mm	2.0mm/2.2mm	7mm/10mm			
14"/350mm	2.6mm	7mm/10mm			

Professional Ceramic / Porcelain Blades






PROFESSIONAL FOR MARBLE

250 mm, 300 mm, 350 mm, 400 mm, 450 mm
500 mm, 600, 800 mm



PROFESSIONAL FOR GRANITE

250 mm, 300 mm, 350 mm, 400 mm, 450 mm
500 mm, 600, 800 mm



PROFESSIONAL FOR CONCRETE

200 mm, 300 mm, 350 mm, 400 mm, 450 mm,
500 mm, 600 mm, 900 mm



PROFESSIONAL FOR ASPHALT

300 mm, 350 mm, 400 mm, 450 mm,
500 mm, 600 mm, 800 mm



PROFESSIONAL DIAMOND CUP WHEELS

200 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm



PROFESSIONAL FOR CONCRETE

RED CORBIT

12.5 mm, 18 mm, 25 mm,
28 mm, 30 mm, 32 mm
35 mm, 40 mm, 45 mm,
45 mm, 46 mm

SILVER

2"x450 mm, 2.5" x 450 mm,
3" x 450 mm, 3.5" x 450 mm,
4" x 450 mm, 4.5" x450, 5"x 450mm
5.25" x 450mm, 6" x 450 mm
7" x 450mm , 8" x 450 mm



PROFESSIONAL FOR MARBLE & GRANITE

10 x 130 mm, 12x 130 mm, 14 x 130 mm, 16x 130 mm

18 x 130 mm, 20x 130 mm, 25 x 130, 30 x 130 mm, 35 x 130mm,
40 x 130 mm, 45 x 130 mm, 50 x 130 mm, 55 x 130 mm, 60 x 130 mm

65 x 130 mm, 70 x 130 mm, 76 x 130 mm, 80 x 130 mm

85 x130 mm, 90 x 130 mm, 95 x 130 mm, 102 x 130 mm

115 x 130 mm, 125 x 130 mm

ELECTROPLATED HOLE SAW

Size(Dia) : 04, 06, 08, 10, 12, 14, 16, 18, 20, 25,
30, 32, 35, 40, 45, 50, 60, 70,
80, 90, 100, 102, 115 mm x 50 mm



TCT SS HOLE SAW

Sizes

15 mm, 16 mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm,
23mm, 24mm, 25mm, 26mm, 27mm, 28mm, 29mm, 30mm,
31mm, 32mm, 33mm, 34mm, 35mm, 36mm, 37mm, 38mm,
40mm, 41mm, 42mm, 44mm, 45mm, 48 mm, 49mm, 50 mm,
51 mm, 52 mm, 53mm, 54mm, 55mm, 58mm,60mm, 61mm,
62mm, 63mm, 64mm, 65mm, 70mm, 73mm, 75mm, 76mm,
79mm, 80mm, 85mm, 90mm, 95mm, 100mm, 102mm, 105mm,
110mm, 111mm, 114mm, 115mm, 121mm, 125 mm, 127 mm,

Features

Multiple-tooth Carbide Alloy Steel Hole Saws, Widely used for Stainless steel plate, Iron plate , Steel plate, Plumbing works,building AC works.and so on This hole should be installed for use in electric drill can use sharp, reliable quality, high performance, chip is very smooth. Not prone to collapse phenomenon. With excellent performance, sharp edge, wear-resistant characteristics.



MARBLE HOLE SAW

Size (Dia) : 6 8 10, 12, 14, 16, 18, 20,
22, 25, 28, 30, 32, 35, 38,
40, 45, 50, 55, 65, 75, 85, 90,
95, 100 mm x 50 mm



CONCRETE HOLE SAW & ADAPTOR

20 mm, 25 mm,
30 mm, 35 mm,40 mm,
45 mm,50 mm,55 mm,
60 mm,65 mm,68 mm,70 mm,
75 mm,80 mm, 90 mm,
100 mm,110 mm,120 mm,
130 mm,150 mm, 22 x 110 mm,
22 x 250 mm, 22 x 280 mm,
22 x 300 mm, 22 x 350 mm
22 x 400 mm



Specifications:
Two/Four Flute Cutter
Smooth and faster Drilling
Drilling and Masonary, Concrete &
Reinforce Concrete

SDS PLUS DRILL BITS

3x 85 mm, 4 x 110 mm, 4 x 160 mm, 6 x 110 mm, 6 x 160 mm, 6 x 210 mm, 6 x 260 mm, 10 x 110 mm, 10 x 160 mm, 10 x 210 mm,
10 x 260 mm, 14 x 260 mm, 14 x 310 mm, 14 x 350 mm, 14 x 400 mm, 18 x 210 mm, 18 x 260 mm, 18 x 310 mm, 18 x 350 mm,
18 x 400 mm, 22 x 210 mm, 22 x 260 mm, 22 x 310 mm, 22 x 350 mm, 22 x 400 mm, 22 x 460 mm, 22 x 600 mm, 25 x 210 mm,
25 x 260 mm, 25 x 310 mm, 25 x 400 mm, 25 x 460 mm, 25 x 600 mm, 28 x 210 mm, 28 x 260 mm, 28 x 310 mm,
28 x 350 mm, 28 x 400 mm, 28 x 460 mm, 28 x 600 mm, 30 x 350 mm, 30 x 600 mm, 5 x 110 mm, 5 x 160 mm, 5 x 210 mm,
8 x 110 mm, 8 x 160 mm, 8 x 210 mm, 8 x 260 mm, 8 x 310 mm, 12 x 110 mm, 12 x 160 mm,
12 x 210 mm, 12 x 260 mm, 12 x 310 mm, 12 x 350 mm, 12 x 400 mm, 16 x 160 mm, 16 x 210 mm, 16 x 260 mm
16 x 310 mm, 16 x 350 mm, 16 x 400 mm, 16 x 460 mm, 20 x 210 mm, 20 x 260 mm, 20 x 310 mm, 20 x 350 mm, 20 x 400 mm,
20 x 460 mm, 20 x 600 mm, 24 x 210 mm, 24 x 260 mm, 24 x 310 mm, 24 x 350 mm, 24 x 400 mm, 24 x 460 mm, 24 x 600 mm,
26 x 210 mm, 26 x 260 mm, 26 x 310 mm, 26 x 350 mm, 26 x 400 mm, 26 x 460 mm, 26 x 600 mm



AUGER BITS & SPADE

Specifications:
For Machine Auger for wood Smooth and faster Drilling
Drilling, Masonary, Concrete & Refinforced Concrete
Sizes:
Auger Bit: 20, 25, 32 mm Length upto 800 mm
Spade (Zip) Bit: 6 to 32 mm, Length 160 mm



HSS DRILL BIT

2 mm, 2.5 mm, 3 mm, 3.5 mm, 4 mm, 4.5 mm
5 mm, 5.5 mm, 6 mm, 6.5 mm, 7 mm, 7.5 mm
8 mm, 8.5 mm, 9 mm, 9.5 mm, 10 mm
11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm



INDIVIDUAL PACKING

**Miraculous
Grinding Power!**




ROTARY BURR

Cylindrical Plain End, Cylindrical Plain End Cut,
Cylindrical Boll Nose Ball, Oval, Arch Ball Nose,
Arch Pointed Nose, Conical Ball Nose, Conical Pointed Nose

CERAMIC & DIAMOND MOUNTED WHEELS

A2, A3, A5, A10, A11, A12, A18, A31, A35
A38, 6x 20 Ball type, 6 x 25 Ball type



TCT ANNUAL CUTTER

10 X 25mm, 12 X 25mm, 14 X 25mm
16 X 25mm, 18 X 25mm, 20 X 25mm
22 X 25mm, 24 X 25mm, 25 X 25mm, 26 X 25mm, 28 X 25mm, 30 X 25mm, 32 X 25mm, 40 X 25mm, 42 X 25mm
10 X 50mm, 12 X 50mm, 14 X 50mm, 16 X 50mm
18 X 50mm, 20 X 50mm, 22 X 50mm
24 X 50mm, 25 X 50mm, 26 X 50mm, 12 X 35mm, 14 X 35mm
16 X 35mm, 18 X 35mm



MARBLE & CERAMIC BIT

6mm, 8mm, 10mm & 12mm



VACUUM CORBIT

Sizes: 6mm, 8mm, 10mm

12mm, 14mm, 16mm, 18mm, 20mm
25mm, 30mm, 32mm, 40mm, 50mm
& 60mm



ELECTROPLATED CUTTING AND GRINDING WHEELS

105mm, 115mm, 180mm, 230mm


Diameter	Segment Thickness	Segment Height	Purpose
4"/105mm	1.8mm	7mm/10mm	Multi purpose hard materials
4.5"/115mm	1.8mm	7mm/10mm	
5"/125mm	1.8mm/2.0mm	7mm/10mm	
6"/150mm	1.8mm/2.0mm	7mm/10mm	
7"/180mm	1.8mm/2.0mm	7mm/10mm	
8"/200mm	1.8mm/2.0mm	7mm/10mm	
9"/230mm	1.8mm/2.0mm/2.2mm	7mm/10mm	
10"/250mm	1.8mm/2.0mm/2.2mm	7mm/10mm	
12"/300mm	2.0mm/2.2mm	7mm/10mm	
14"/350mm	2.6mm	7mm/10mm	

Diameter	Segment Thickness	Segment Height	Purpose
4"/105mm	1.8mm	7mm/10mm	Ceramic Porcelain Tiles X Segments
4.5"/115mm	1.8mm	7mm/10mm	
5"/125mm	1.8mm/2.0mm	7mm/10mm	
6"/150mm	1.8mm/2.0mm	7mm/10mm	
7"/180mm	1.8mm/2.0mm	7mm/10mm	
8"/200mm	1.8mm/2.0mm	7mm/10mm	
9"/230mm	1.8mm/2.0mm/2.2mm	7mm/10mm	
10"/250mm	1.8mm/2.0mm/2.2mm	7mm/10mm	
12"/300mm	2.0mm/2.2mm	7mm/10mm	
14"/350mm	2.6mm	7mm/10mm	



GLASS CUTTING & GRINDING

Glass Cutter (Golden) 105mm
Glass Grinding (Golden) 100mm
Glass Cutter (Silver) 115mm
Glass Cutter Segment 115mm



DIAMOND POLISH PAD FOR GRANITE & MARBLE

Size: 100mm, 115 mm, 125 mm, 180 mm, 250 mm
Grid: 50, 100, 150, 200 , 250, 300, 400, 500, 800
1000, 2000, 3000, 5000



STEP BIT

4-12,4-20, 4-25, 4-30, 4-32, 4-39, 6-50, 6-55
SMALL: (4-12, 5-12, 6-20)
LARGE: (4-12, 4-20,4-32)




PLASTIC BACING PAD / AIR PAD

100 mm (4"), 115 mm (4-1/2")
125 mm (5"), 150 mm(6"), 180 mm (7")



SANDING DISC

115 mm (4-1/2") (36, 40, 60, 80, 100, 120)
125 mm (5") 150 , 150 mm (6")
180 mm (7")



SAND PAPER WITH VELCRO

Grid: 40, 50, 60, 80, 100, 120, 220, 320, 600, 800, 1000
Size: 115 mm (4-1/2") , 125 mm (5") 150, 150 mm (6")
180 mm (7")



SEGMENT FOR DIAMOND BLADE FOR MARBLE & GRANATE

24 x 10 x 12 mm (108 PC BOX) 24 x 8 x 8 mm (80 PC BOX)




SEMI FLEXIBLE DISC

100 mm (4"), 115 mm (4-1/2")

125 mm (5"), 180 mm (7")

Silicon carbide grain, Spiral design permits disc to run cooler and prevents loading, Aggressive grinding on a variety of surfaces, Easily removes coatings, adhesives, paint and mastics Vulcanized fiber backing



FLAP DISK MS & SS

100mm girt 36, 100mm girt 60

100mm girt 80, 100mm girt 120, 115mm girt 36

115mm girt 60, 115mm girt 80, 115mm girt 120



CONCRETE HOLE SAW ADAPTOR

22mm x 110mm, 22mm x 250mm,
22mm x 280mm, 22mm x 300mm,
22mm x 350mm, 22mm x 400mm,



FLAP WHEEL WITH SHANK

20 x 25 mm, 20 x 40 mm, 20 x 60 mm, 20 x 25 mm

30 x 25 mm, 40 x 25 mm, 50 x 30 mm, 60 x 30 mm

60 x 40 mm, 60 x 60 mm, 60 x 80 mm, 80 x 30 mm

80 x 50 mm



ABRASIVE CLOTH ROLL

100 mm x 50 mm, 115 mm x 50 m



ADJUSTABLE CIRCLE CUTTER

30 X 120mm, 30 X 200mm, 30 X 300mm

Distribution Enquiries: +971 50 345 8955
Email : 3458955@gmail.com, United Arab Emirates

DUBAI
+971 56 8077 686

ABU DHABI
+971 50 8510 462

N. EMIRATES
+971 55 3812 112

RIYADH
+966 56 2619 379

DHAMMAM
+966 57 2882 187

KHAMIS MUSHAIT
+966 53 9025 502

BAHRAIN
+973 36604 395

NAGPUR, MAHARASTRA
+91 9881330 858

"Built Stronger
Last Longer"

DIAMOND®
K2